



# PEANUT COMBINE

## 3384 & 3386



ALL COMBINES INCLUDE LIMITED  
3-YEAR WARRANTY



**KELLEY MANUFACTURING Co.**  
TIFTON, GA 1-800-444-5449  
[www.kelleymfg.com](http://www.kelleymfg.com)



# IMPROVEMENTS OVER PREVIOUS MODEL

- LARGER BASKET (SIX ROW ONLY)
  - 7500 LB CAPACITY- DUMP LESS FREQUENTLY
  - HYDRAULIC FOLD OUT LIP
  - ADDITIONAL CLEANING SCREEN FOR REMOVING SOIL
  - 12 INCH HIGHER PIVOT POINT- PROVIDES CAPABILITY TO LOAD MORE PEANUTS IN THE DUMP CART
  - 6000 LB BASKET- OPTIONAL
- HIGHER CAPACITY HEADER TO HANDLE HEAVY VINES & TWIN ROW PEANUTS
  - SMOOTH CONSISTENT VINE FLOW
  - SMALLER DIAMETER PICK-UP REEL FOR GENTLE PICK UP
  - LARGER DIAMETER AUGER- PROVIDES ADDITIONAL CAPACITY TO GENTLY HANDLE LARGER VINES FOR HIGH YIELDING VARIETIES; THICKER FLIGHTING FOR INCREASED AUGER LIFE
  - HEXAGONAL HEADER ROLLER FOR IMPROVED VINE FEED- RETRO FITS AVAILABLE
- MORE AIRLIFT CAPACITY FOR HIGH YIELDING VARIETIES
  - STANDARD 12 BLADE, BOLT TOGETHER FAN
  - LARGER AIR LIFT FAN SHAFT
- SLIDE-UP LADDER FOR EASY STORAGE
- IMPROVED STEMMER SAWS FOR HANDLING HIGH YIELDING PEANUTS



# SPECIFICATIONS

	4 Row	6 Row
Machine Length	338"	3-Ton: 338" / 3 ¾-Ton: 338"
Machine Height	155"	3-Ton: 165" / 3 ¾-Ton: 187"
Header Widths	4 x 36: 142" / 4 x 40: 158"	6 x 30: 182" / 6 x 36: 222" 6 x 40/8 x 30: 238"
Wheel Base (CL/Outside)	133" / 151"	161" / 188"
Tire Size	18.4 x 28 ATU R4	28L x 26 SAT 23° R1
Tire Inflation	36 P.S.I.	20 P.S.I.
Tank Capacity	324 cu ft (260 bushels)/ 6,000 lbs	405 cu ft (325 bushels)/ 7,500 lbs
Hitch	Stationary tractor drawbar types	Stationary tractor drawbar types
Pickup Reel	Low profile, 5-bar, camless	Low profile, 5-bar, camless
Threshing System	7 cylinders, 8 stripper bars (individually adjusted), floating concaves under 4 rear cylinders	7 cylinders, 8 stripper bars (individually adjusted), floating concaves under 4 rear cylinders
Driveline	1000 RPM driveline, safety shielded	1000 RPM driveline, safety shielded
3-Ton Tank	Standard	Optional
3 ¾ Tank (6 Row Only)	N/A	Standard
Hexagonal Header Roller	Standard	Standard
Vine Spreaders	Optional	Optional



FOR THE ULTIMATE FAST, **NON-STOP** PEANUT HARVESTING EXPERIENCE, BE SURE AND CHECK OUT OUR **UNLOAD-ON-THE-GO COMBINE.**  
**\*\*TAKE HOME A FREE BROCHURE TODAY!**

# FEATURING:



DOUBLE SWIVEL GEAR HITCH FOR SMOOTHER, SHARPER TURNS



ADDITIONAL STRIPPERS FOR AGGRESSIVE THRESHING



EASY BOLT ADJUSTMENT OF HEXAGONAL HEADER ROLLER



OPTIONAL VINE SPREADERS FOR EVEN DISTRIBUTION OF PEANUT HAY

## NEW OPTIONS:

### 1- CAMERA SYSTEM

- MAGNETICALLY MOUNTED
- ALLOWS YOU TO EASILY MONITOR YOUR HARVEST WITHOUT HAVING TO TURN AROUND IN YOUR SEAT
- CAN BE ADJUSTED SO YOU CAN SEE TRAFFIC BEHIND YOU WHEN TRANSPORTING COMBINE DOWN THE ROAD

### 2- HEADER PICKUP REEL MONITOR

- ALLOWS THE OPERATOR TO EASILY MATCH HEADER REEL SPEED WITH GROUND SPEED

### 3- AIRLIFT FAN ACTUATOR

- ALLOWS THE OPERATOR TO EASILY ADJUST THE AIRLIFT FAN FROM THE TRACTOR CAB



# LOWER YOUR LSK RATES WITH THE KMC PEANUT COMBINE!

WHEN PROPERLY MAINTAINED AND ADJUSTED, THE KMC PEANUT COMBINE IS CAPABLE OF PICKING PEANUTS WITH AN LSK RATE FROM 0% TO 2%, DEPENDING ON CONDITIONS.

	1% LSK Rate	2% LSK Rate	3% LSK Rate	4% LSK Rate
Pound per acre loss	50 pounds	100 pounds	150 pounds	200 pounds
Dollar per acre loss	\$9.00	\$18.00	\$27.00	\$36.00
Loss on 500 acres	\$4,500	\$9,000	\$13,500	\$18,000

\*ASSUMING A 5,000 LB PER ACRE YIELD & \$500 PER TON REVENUE